



## LCD Display Fetal Heart Rate Detector Doppler Heartbeat Detector For Pregnancy

Our Product Introduction

for more products please visit us on [oxygenconcentratormedical.com](http://oxygenconcentratormedical.com)

### Basic Information

- Place of Origin: China
- Brand Name: HANYUE
- Certification: CE/FDA/ISO13485/FCC/RoHs
- Model Number: JSL-T501
- Minimum Order Quantity: 60pcs
- Price: 7USD
- Packaging Details: Each Boxes OPP packing /12.6 KGS / Per carton: 53\*29\*37cm / 60PCS Per Carton.
- Delivery Time: 3-5 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 100000PCS



### Product Specification

- Product Name: Doppler Fetal Monitor
- Application: Home Clinic Hospital
- Battery: D.C. 3V 2\*AA Batteries
- Display: LCD Display
- Size: 105\*178\*45mm
- Weight: 180g
- Highlight: **Pregnancy Fetal Heart Rate Detector ,  
Doppler Fetal Heart Rate Detector ,  
Doppler Heartbeat Detector For Pregnancy**

## Ensure Your Babies Health with Fetal Heart Detector Technology During Pregnancy

Fetal heart detector technology, also known as fetal doppler or fetal monitor, is a valuable tool for monitoring the health of a developing fetus during pregnancy. It uses ultrasound technology to detect and monitor the fetal heartbeat, providing essential information about the health and well-being of the fetus. By using fetal heart detector technology, healthcare providers can identify potential problems early on in pregnancy and intervene if necessary, ensuring the best possible outcomes for mother and baby.

### What are the risks of fetal heart monitoring?

Radiation is not used for this test. The transducer usually causes no discomfort.

You may find the elastic belts that hold the transducers in place slightly uncomfortable. These can be readjusted as needed.

You must lie still during some types of fetal heart rate monitoring. You may need to stay in bed during labor.

With internal monitoring, you may have some slight discomfort when the electrode is put in your uterus.

Risks of internal monitoring include infection and bruising of your baby's scalp or other body part.

**Note:** You should **not** have internal fetal heart rate monitoring if you are HIV positive. This is because you may pass the infection on to your baby.

You may have other risks depending on your specific health condition. Be sure to talk with your provider about any concerns you have before the procedure.

Certain things may make the results of fetal heart rate monitoring less accurate. These include:

Obesity of the mother

Position of the baby or mother

Too much amniotic fluid (polyhydramnios)

Cervix is not dilated or the amniotic sac is not broken. Both of these need to happen to do internal monitoring

## TO Listen Angel's Heartbeat



Two AA batteries



Independent probe



Loudspeakers



**Shenzhen Emeng Health Technology Co., LTD**

+86 13760822077

kaylayi0612@foxmail.com

oxygenconcentratormedical.com

Room D, 7th Floor, Guang Long Building, 162 Ping Xin North Road, PingHu Street, LongGang District, ShenZhen