

HIV 1/2 Rapid Test Kit At Home Antigen Test Kit Get Results in 15 Minutes for Testing

Our Product Introduction

For more products please visit us on oxygenconcentratormedical.com

Basic Information

- Place of Origin: china
- Brand Name: DVOT
- Certification: CE/ISO
- Model Number: HIV 1/2
- Minimum Order Quantity: 360 test
- Price: 0.8-0.9USD
- Packaging Details: 360T/PER CTN Weight :11KGS CTN SIZE :46*44*44CM
- Delivery Time: 15-20 work days
- Payment Terms: D/P, T/T, Western Union, MoneyGram
- Supply Ability: 1000000pcs



Product Specification

- Result Time: 15 Minutes To Get
- Test Time: 15 Minutes
- Type: Rapid Test Kit
- Certifications: CE ISO
- Time Of Use: Disposable
- Keyword: Antigen Rapid Test
- Accuracy: 99%
- Highlight: ce clungene antigen rapid test, ce medical diagnostic test kits, disposable clungene antigen rapid test



More Images



Product Description

HIV 1/2 Rapid Test Kit At Home Antigen Test Kit Get Results in 15 Minutes for Testing

Product Description:

One type of Infectious Disease Rapid Test Kit is the Antigen Rapid Test. These rapid test kits are designed to detect specific viral antigens in samples such as saliva, nasal swabs, or blood. They are commonly used to diagnose infectious diseases such as HIV 1/2.

The Antigen Rapid Test is a type of Rapid Test Kit, which means it provides results quickly and efficiently. This is particularly important in cases where time is of the essence, such as in emergency rooms and urgent care clinics. Rapid Test Kits are also commonly used in point-of-care settings, where patients can receive immediate results without having to wait for lab testing.

Accuracy is crucial when it comes to diagnostic testing, and the Antigen Rapid Test Kit delivers with a 99% accuracy rate. This high level of accuracy ensures that patients receive the correct diagnosis and appropriate treatment in a timely manner.

Certifications such as CE and ISO are important indicators of quality and safety in medical devices. The Antigen Rapid Test Kit is certified by both CE and ISO, giving healthcare professionals and patients alike peace of mind that they are using a high-quality and reliable product.

Technical Parameters:

Type	Rapid Test Kit
Certifications	CE,ISO
Accuracy	99%
Keyword	Antigen Rapid Test
Test Time	15 Minutes
Result Time	15 Minutes To Get
Time Of Use	Disposable

Advantages:

- Easy to Use
- Reliable
- Total Privacy
- Accuracy

Applications:

The HIV 1/2 Antigen Rapid Self Test Kit is designed for professional use in hospitals, clinics, and laboratories, but it is also suitable for personal use at home. It is a rapid test kit that can detect HIV-1 and HIV-2 antibodies in human serum, plasma, or whole blood samples. With this test kit, individuals can easily and quickly detect if they have contracted the virus and take appropriate measures to prevent its spread.

This rapid test kit can be used in a variety of occasions and scenarios, including:

Screening programs in hospitals and clinics
Testing for HIV in blood banks and donation centers
Home testing for personal use
Testing for HIV in remote and rural areas

The HIV 1/2 Antigen Rapid Self Test Kit is easy to use and does not require any special training or equipment. The test can be performed by simply collecting a small blood sample from the fingertip or other parts of the body and adding it to the test device. The result can be read in just 15 minutes, making it a quick and convenient way to detect HIV.

In conclusion, the HIV 1/2 Antigen Rapid Self Test Kit from DVOT is a reliable and accurate antibody rapid test kit that can be used in various occasions and scenarios. It is a valuable tool in the fight against HIV and can help individuals detect the virus early and take appropriate measures to prevent its spread. With its easy-to-use design and quick result time, this rapid test kit is an excellent choice for both professional and personal use.

Support and Services:

Our Medical Diagnostic Test Kits come with comprehensive technical support and services to ensure accurate and reliable results.

Steps to use:

Preparation stage:

Verify that the product packaging is intact and check the date of manufacture and lot number.

Prepare the required sample collection tools, such as a disposable blood collection needle (for whole blood samples), a matching transfer pipette or capillary pipette.

For serum/plasma sample testing, ensure that sufficient serum/plasma (approximately 20 ml) is collected.

Serum/Plasma Sample Test:

Remove the test strip and ensure that it is dry and undamaged.

Using the serum/plasma in the serum/plasma collection container, slowly drop approximately 20 ml of serum/plasma along the designated area on the test strip (usually the test line area).

Wait 15 minutes for the test results to appear naturally.

Whole blood sample test:

Wash and sterilize your finger to ensure that the test area is clean.

Using a disposable blood collection needle, prick the edge of the finger to collect a whole blood sample of approximately 25 µL.

Using a matched capillary or transfer pipette, add the collected whole blood sample to the designated area on the test strip.

It may be necessary to add 1 to 2 drops of buffer solution to facilitate the reaction, as indicated in the instructions.

Wait for the reaction:

Whether it is a serum/plasma sample or a whole blood sample, wait for the designated amount of time (usually 15 minutes) to allow the test results to appear naturally.

Reading the results:


Observe the result indicator area on the test strip.

If a line similar in color to the Control line appears, and a line of the same color appears at the Test line, the result is usually "Positive. Positive.

If the color line appears only at the Control line, but not at the Test line, the result is usually Negative.

If there are no lines at the Control line, or if the result is unclear and difficult to determine, then the result may be Invalid and the test needs to be repeated.





Shenzhen Emeng Health Technology Co., LTD



+86 13760822077



kaylayi0612@foxmail.com



oxygenconcentratormedical.com

Room D, 7th Floor, Guang Long Building, 162 Ping Xin North Road, PingHu Street, LongGang District,
ShenZhen