

# DOVT Canine Parvo Virus Antigen Rapid Test 8-Minute Test Time 99% **Accuracy Guaranteed**

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 360 test
- Price:
- · Packaging Details:
- Delivery Time: 15-20 work days
- Payment Terms: D/P, T/T, Western Union, MoneyGram

100000pcs

China DVOT

CE/ISO

CPV Ag

0.78USD **OPP** Packing

• Supply Ability:



### **Product Specification**

- Accuracy:
- Test Time:
- Certifications:
- Time Of Use:
- Keyword:

#### 8mins CE ISO

99%

- Disposable
- Highlight:

# Antigen Rapid Test

- Canine Parvo Virus Antigen Rapid Test, 8-Minute Parvo Virus Antigen Test,
  - 99% Accuracy Parvo Virus Antigen Test



#### More Images







# DOVT Canine Parvo Virus Antigen Test which is used for testing canine parvo virus and accuracy 99%

### Product Description:

CPV is a highly contagious virus that primarily infects dogs and causes damage to their intestinal mucosa, leading to vomiting and diarrhea. This is an antigenic rapid test kit designed to test for Canine Parvo Virus (CPV, Canine Parvovirus). It can accurately and rapidly detect the presence of Canine Parvo Virus antigen in dogs in a short period of time, providing veterinarians in clinical practice or pet owners with a quick and convenient diagnostic basis for CPV infections, and is a reliable auxiliary diagnostic tool for use in homes and clinics.

## Applications:

The Canine Parvo Virus Antigen Test ensures the accuracy and reliability of the test results through strict quality control, and the test takes only 8 minutes to obtain the results, which greatly improves the diagnostic efficiency. Simple to use, no complex equipment or additional reagents are required, users can simply follow the instructions to complete the test. The product has a 24-month shelf life and remains stable at (2-30°C), ensuring the accuracy and reliability of the test.

Accuracy 精度	99%
Test Time	8mins 8分
Certifications	CE,ISO CE,ISO
Time Of Use 使用	Disposable一次性
Keyword 字	Antigen Rapid Test 抗原快速

# Support and Services:

Our medical diagnostic test kits are designed for accuracy and ease of use. We offer technical support services to assist with any questions or issues that may arise during the testing process.

# Test Method:

- 1. Use a sterile swab to collect anal secretions from dogs.
- 2, Insert the swab into the tube of test buffer provided and mix thoroughly to obtain a valid sample extract.
- 3, Remove the test card from the aluminum foil pouch and place it horizontally.
- 4. Pipette the processed sample extract from the test buffer tube into the sample hole "S" of the test card.
- 5. Read the result after 8 minutes.
- Interpretation of results:

Positive (+): A clear "C" line (control line) and "T" line (test line) appear on the test card at the same time, regardless of whether the "T" line is clear or blurred, it is regarded as a positive result. Negative (-) Negative (-): Only the "C" line appears clearly on the test card without the "T" line, which is regarded as a negative result.

Invalid: The "C" line on the test card does not appear any color lines, is considered invalid results, need to be retested.



