

DOVT Canine Distemper Virus CDV Antigen Detection Kit for High Detection and Accuracy

Basic Information

. Place of Origin: China . Brand Name: DVOT CE/ISO · Certification: Model Number: CDV Ag • Minimum Order Quantity: 360 test • Price: 0.78USD **OPP** Packing · Packaging Details: • Delivery Time: 15-20 work days

• Payment Terms: D/P, T/T, Western Union, MoneyGram

• Supply Ability: 1000000pcs



Product Specification

Accuracy: 99%
Test Time: 8mins
Certifications: CE ISO
Time Of Use: Disposable

Keyword: Antigen Rapid Test Type: Rapid Test Kit

• Highlight: Canine Distemper Virus Antigen Detection Kit,

CDV Antigen Detection Kit



More Images







Product Description

DOVT Canine Distemper Virus Antigen Detection Kit for High Detection and Accuracy

Product Description:

The Canine Distemper Virus Antigen Test is a test designed to quickly detect whether a dog is infected with Canine Distemper Virus (CDV). Canine Distemper is a highly contagious viral disease with a lethality rate of more than 80%, posing a serious threat to canine life and health. Infected dogs transmit the virus through body secretions, which can lead to influenza-like symptoms including fever, runny nose, coughing, lethargy, loss of appetite, vomiting, diarrhea and other symptoms.

This product is used for in vitro qualitative screening of canine eye and nasal secretions for Canine Distemper Virus (CDV) antigen without any additional equipment. This product is used for self-testing to quickly and accurately determine whether or not a dog is carrying CDV antigen. The test is applicable to veterinary clinics, farms, animal disease prevention and control organizations, and university research institutions, providing strong support for timely diagnosis and treatment of canine distemper.

Applications:

The Canine Distemper Virus Antigen Test is characterized by easy operation, fast result reading, high sensitivity and accuracy. Results can be obtained in 8 minutes and the presence or absence of the test line directly indicates the presence or absence of CDV antigen in the sample. In addition, the product has a 24-month shelf life and is stable over a wide range of temperatures (2-30°C), ensuring the accuracy and reliability of the test.

Accuracy	99%
Test Time	8mins
Certifications	CE,ISO
Time Of Use	Disposable
Keyword	Antigen Rapid Test

Support and Services:

Our medical diagnostic test kits are designed for accuracy and ease of use. We offer technical support services to assist with any questions or issues that may arise during the testing process.

Our goal is to provide our customers with the highest level of support and service to ensure successful testing outcomes.

Canine Distemper Virus Antigen Test Steps to Use:

Step 1: Sampling

Preparation: Make sure you have safety precautions such as gloves and a mask to prevent cross contamination with viruses or pathogens.

Sampling: Use a swab to collect a sample from the dog's secretions (e.g. tears, snot, etc.).

Sample collection: Collect a sufficient amount of sample strictly according to the instructions in the product manual to ensure no contamination.

Step 2: Mixing

Prepare a test tube: Remove a clean test tube and check that it is sealed and undamaged.

Add Swab: Place the sample collected in Step 1 into the test tube solution. Make the sample obtained mix well with the solution in the test tube

Step 3: Interpretation of Results

Waiting time: Place the mixed test tube in a smooth place and wait for 2 minutes according to the instructions. Do not shake or touch the test tube during the waiting period.

Dropping into the test cassette: After putting the cap on the test tube, drop three drops of solution vertically into the corresponding position of the test cassette and wait for eight minutes.

Read the results

Positive Result: If the expected color change or a specific band appears in the test kit, the canine distemper virus antigen has been detected, i.e., the test result is positive and the dog may be infected with canine distemper virus.

Test Failed: If a specific band does not appear or the color change is abnormal, the test result is invalid. Negative Result: If the expected positive signal does not appear in the tube, the test result is negative, i.e., no canine distemper virus antigen was detected in the test.

Precautions:

Always follow the procedure and precautions in the product manual.

When using the test kit, please pay attention to personal protection to avoid cross-contamination.

The accuracy of the test results may be affected by a variety of factors, such as sample quality, handling practices, storage conditions, and so on. Therefore, the interpretation of results should take into account clinical information and veterinary advice.



Canine Distemper Virus Antigen Test



Canine Distemper is a virulent infectious disease caused by Canine Distemper Virus (CD-V). The symptoms of virus infection alone are mild, and if the symptoms of secondary bacterial infection are aggravated, the mortality rate will be higher.


This product does not require any additional equipment and is used for invitro qualitative screening for Canine Distemper Virus (CDV) antigen in ocular and nasal secretions of dogs. This product is used for self-test.



Test steps are as follows



Interpretation of Results



Ordering Information

Description	SPECIMEN	Shell life	Storage	Pack size
CDV Ag	Ocular and nasal secretions	24 months	2-30°C	1/5/25 test(s)/kit





+oo 13700022077 w kaylayloo12@loxmail.com oxygenconcentratormedical.com

Room D, 7th Floor, Guang Long Building, 162 Ping Xin North Road, PingHu Street, LongGang District, ShenZhen